

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S418	4	("5764972" "5933834").pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 13:48
S419	6	("7203731" "6952737" "6101508").pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 13:59
S421	4	(conver\$5 translat\$4 transform\$5 chang\$4) NEAR4 (local\$2 NEAR4 (file\$1 NEAR2 system\$1 NEAR2 request\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 14:03
S420	4	(conver\$5 translat\$4 transform\$5 chang\$4) NEAR4 (local NEAR2 file\$1 NEAR2 system\$1 NEAR2 request\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 14:03
S423	4	(conver\$5 translat\$4 transform\$5 chang\$4) NEAR4 (local NEAR2 file\$1 NEAR2 system\$1 NEAR2 command\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 14:04
S422	0	(conver\$5 translat\$4 transform\$5 chang\$4) NEAR4 (local NEAR2 file\$1 NEAR2 system\$1 NEAR2 quer\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 14:04
S424	89	(conver\$5 translat\$4 transform\$5 chang\$4) NEAR4 ((client\$1 user\$1 local\$2) NEAR2 file\$1 NEAR2 (request\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 14:06
S427	24	((conver\$5 translat\$4 transform\$5 chang\$4) NEAR4 ((client\$1 user\$1 local\$2) NEAR2 (file\$1 NEAR2 request\$1))) WITH (network global\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 14:08

EAST Search History

S42 8	96	S425 AND (virtual\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 14:09
S43 1	2	"5708832".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 14:25
S42 5	158	(conver\$5 transl\$4 transformat\$5 chang\$4) NEAR4 ((client\$1 user\$1 local\$2) NEAR2 (file\$1 NEAR2 request\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 14:27
S43 3	103	S432 AND ((conver\$5 transl\$4 transformat\$5 chang\$4) NEAR4 (file\$1 NEAR2 request\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 14:32
S43 4	48	S433 AND (((conver\$5 transl\$4 transformat\$5 chang\$4) NEAR4 (file\$1 NEAR2 request\$1)) SAME (nfs (network NEAR4 request\$1)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 14:54
S43 6	75	S432 AND S435	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 14:55
S42 9	185	(conver\$5 transl\$4 transformat\$5 chang\$4) NEAR4 ((client\$1 user\$1 local\$2) NEAR2 (file\$1 NEAR2 (command\$1 request\$1)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 15:01
S43 8	0	((conver\$5 transl\$4 transformat\$5 chang\$4) NEAR4 ((client\$1 user\$1 local\$2) NEAR2 (file\$1 NEAR2 (command\$1 request\$1))) AND (kernel NEAR8 thread\$1)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 15:03
S43 5	304	(conver\$5 transl\$4 transformat\$5 chang\$4) NEAR6 (nfs (network\$3 NEAR2 file\$1 NEAR2 system\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 15:03

EAST Search History

S44 0	112	(virtual NEAR2 (machine\$1 system\$1)) AND (mount\$4) AND (kernel NEAR8 thread\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 15:05
S44 1	5	S440 AND S430	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 15:06
S43 0	189	(conver\$5 translat\$4 transformat\$5 chang\$4) NEAR4 ((client\$1 user\$1 local\$2) NEAR2 (file\$1 NEAR2 (command\$1 request\$1 quer\$4)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 15:06
S44 4	47	S442 AND "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 16:34
S44 3	64	S442 AND "707"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 16:34
S44 2	185	((conver\$5 translat\$4 transformat\$5 chang\$4) NEAR4 ((client\$1 user\$1 local\$2) NEAR2 (file\$1 NEAR2 (command\$1 request\$1))))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 16:34
S43 9	11	(conver\$5 translat\$4 transformat\$5 chang\$4) NEAR6 (nfs (network\$3 NEAR2 file\$1 NEAR2 system\$1)) AND (kernel NEAR8 thread\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 16:34
S43 7	18	((conver\$5 translat\$4 transformat\$5 chang\$4) NEAR4 ((client\$1 user\$1 local\$2) NEAR2 (file\$1 NEAR2 (command\$1 request\$1))))).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 16:34
S44 5	3	(conver\$5 translat\$4 transformat\$5 chang\$4) NEAR6 (nfs (network\$3 NEAR2 file\$1 NEAR2 system\$1)) AND (kernel NEAR8 thread\$1) AND "707"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 16:35

EAST Search History

S43 2	8896	(virtual NEAR2 (machine\$1 system\$1)) AND (mount\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 16:35
S44 8	64	S447 AND "707"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 16:37
S44 7	185	((conver\$5 translat\$4 transformat\$5 chang\$4) NEAR4 ((client\$1 user\$1 local\$2) NEAR2 (file\$1 NEAR2 (command\$1 request\$1))))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 16:37
S44 9	21	(virtual NEAR2 (machine\$1 system\$1)) AND (mount\$4) AND S448	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 16:38
S44 6	8	(conver\$5 translat\$4 transformat\$5 chang\$4) NEAR6 (nfs (network\$3 NEAR2 file\$1 NEAR2 system\$1)) AND (kernel NEAR8 thread\$1) AND "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 16:38
S45 0	93	(joon and hwang).xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 08:54
S45 1	216	(library ADJ2 server\$1) AND (object ADJ2 server\$1) AND (client\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 09:04
S45 2	29	S451 AND ((library) WITH (virtual\$2 mount\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 09:06
S45 5	0	S451 AND ((library) WITH (virtual\$2 ADJ2 (machine\$1 system\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 09:07
S45 4	0	S451 AND ((library) WITH (mount\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 09:07

EAST Search History

S45 3	0	S451 AND ((library) WITH ((virtual\$2 ADJ1 machine\$1) mount\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 09:07
S46 4	16393	virtual ADJ1 (machine\$1 (file\$1 ADJ1 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 10:29
S46 5	126	S464 AND ((client\$1 user\$1) NEAR4 bypass\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 10:33
S46 3	1	("6324581").pn. AND (id ids identif\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 10:34
S46 9	52766	srl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:01
S46 6	1	("6324581").pn. AND (id ids identif\$7) AND (location\$1 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:01
S47 0	47	srl NEAR8 (user\$1 client\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:02
S47 1	47	S469 AND S470	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:07
S47 2	7	coates.in. AND intel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:08
S47 4	58	(storage\$1 NEAR2 port\$1) NEAR4 (translat\$5 transform\$7 conver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 17:14
S47 3	37	(storage\$1 NEAR2 port\$1) NEAR4 (translat\$5 transform\$7 conver\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 17:14

EAST Search History

S1	30	(database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 17:14
S47 5	58	(storage\$1 NEAR2 port\$1) NEAR4 (translat\$5 transform\$7 conver\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 17:20
S47 6	2	"20050246393".pn. AND (storage\$1 NEAR2 port\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 17:53
S47 9	185	(storage\$1 NEAR4 port\$1) NEAR4 mount\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 17:54
S47 7	18748	(storage\$1 NEAR4 port\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 17:54
S47 8	123	(storage\$1 NEAR4 port\$1) NEAR4 virtual\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 20:31
S48 1	213	S480 AND (virtual NEAR4 (system\$1 machine\$1)) AND ((client\$1 user\$1) WITH direct\$2 WITH (download\$3 access\$3 retriev\$4) WITH storage\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 20:33
S48 2	13	S481 AND ((translat\$4 conver\$5) NEAR4 ((client\$1 user\$1) NEAR2 request\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 20:34
S48 3	1	((virtual NEAR4 (system\$1 machine\$1)) AND ((client\$1 user\$1) WITH direct\$2 WITH (download\$3 access\$3 retriev\$4) WITH storage\$1) AND ((translat\$4 conver\$5) NEAR4 ((client\$1 user\$1) NEAR2 request\$1))).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 20:35

EAST Search History

S48 0	97422	("707"/\$.ccls. "718"/\$.ccls. "709"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 20:35
S48 6	0	S480 AND ((virtual NEAR4 (system\$1 machine\$1)) AND ((storage\$1 NEAR2 port\$1) WITH (translat\$4 conver\$5))).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 20:36
S48 5	10	S480 AND ((virtual NEAR4 (system\$1 machine\$1)) AND (storage\$1 NEAR2 port\$1)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 20:36
S48 4	165	S480 AND ((virtual NEAR4 (system\$1 machine\$1)) AND (storage\$1 NEAR2 port\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 20:36